

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

A-level FURTHER MATHEMATICS

Paper 2

Thursday 6 June 2019

Afternoon

Time allowed: 2 hours

Materials

- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
TOTAL	



Answer **all** questions in the spaces provided.

- 1** Given that z is a complex number, and that z^* is the complex conjugate of z , which of the following statements is **not** always true?

Circle your answer.

[1 mark]

$$(z^*)^* = z \qquad zz^* = |z|^2 \qquad (-z)^* = -(z^*) \qquad z - z^* = z^* - z$$

- 2** Which of the straight lines given below is an asymptote to the curve

$$y = \frac{ax^2}{x-1}$$

where a is a non-zero constant?

Circle your answer.

[1 mark]

$$y = ax + a \qquad y = ax \qquad y = ax - a \qquad y = a$$

- 3** The set $\mathcal{A}$ is defined by $\mathcal{A} = \{x : -\sqrt{2} < x < 0\} \cup \{x : 0 < x < \sqrt{2}\}$

Which of the inequalities given below has $\mathcal{A}$ as its solution?

Circle your answer.

[1 mark]

$$|x^2 - 1| > 1 \qquad |x^2 - 1| \geq 1 \qquad |x^2 - 1| < 1 \qquad |x^2 - 1| \leq 1$$



- 4 The positive integer k is such that

$$\sum_{r=1}^k (3r - k) = 90$$

Find the value of k .

[3 marks]

Turn over for the next question

Turn over ►



5

A curve has equation $y = \cosh x$

Show that the arc length of the curve from $x = a$ to $x = b$, where $0 < a < b$, is equal to

$$\sinh b - \sinh a$$

[4 marks]



[6 marks]

[illegible]

7 (a) Use a vector product to show that the area of triangle ABC is $\frac{5\sqrt{11}}{2}$

[illegible][illegible]

7 (c) Hence find the exact distance of the plane from the origin.

[1 mark]

Turn over for the next question

Turn over ►



P_1 is translated by the vector $\begin{bmatrix} b \\ 0 \end{bmatrix}$, where $b > 0$, to give the parabola P_2

Prove that $m = \pm \sqrt{\frac{a}{b}}$

[4 marks]

[illegible]

8 (b)

The region R is rotated through 2π radians about the x -axis to form a solid.

Fully justify your answer.

[5 marks]

[illegible]

9 (a)

[5 marks]

[2 marks]



[4 marks]

[2 marks]

Prove by induction that $f(n) = n^3 + 3n^2 + 8n$ is divisible by 6 for all integers $n \geq 1$
[7 marks]

[illegible]

Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



The line L_1 has equation

The line L_2 has equation

Find the shortest distance between the two lines, giving your answer to three significant figures.

[8 marks]

[illegible]

[illegible]

Turn over ►



- 12 Abel and Bonnie are trying to solve this mathematical problem:

$$z = 2 - 3i \text{ is a root of the equation}$$
$$2z^3 + mz^2 + pz + 91 = 0$$

Find the value of m and the value of p .

Abel says he has solved the problem.

Bonnie says there is not enough information to solve the problem.

- 12 (a) Abel's solution begins as follows:

Since $z = 2 - 3i$ is a root of the equation,
 $z = 2 + 3i$ is another root.

State **one extra** piece of information about m and p which could be added to the problem to make the beginning of Abel's solution correct.

[1 mark]



[4 marks]

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper or a document template. There are no margins, text, or other markings on the page.

[1 mark]

Show the limiting process.

[9 marks]

[illegible]

*Do not write
outside the
box*

Turn over for the next question

Turn over ►



14 Let

$$S_n = \sum_{r=1}^n \frac{1}{(r+1)(r+3)}$$

where $n \geq 1$

14 (a) Use the method of differences to show that

$$S_n = \frac{5n^2 + an}{12(n+b)(n+c)}$$

where a, b and c are integers.

[6 marks]

[illegible]

*Do not write
outside the
box*

Question 14 continues on the next page

Turn over ►




$$n > \frac{k - 5 + \sqrt{k^2 + 1}}{2}$$
[illegible]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Turn over ►



15



Two tanks, A and B , each have a capacity of 800 litres.

At time $t = 0$ both tanks are full of pure water.

When $t > 0$, water flows in the following ways:

- Water with a salt concentration of μ grams per litre flows into tank A at a constant rate
- Water flows from tank A to tank B at a rate of 16 litres per minute
- Water flows from tank B to tank A at a rate of r litres per minute
- Water flows out of tank B through a waste pipe
- The amount of water in each tank remains at 800 litres.

At time t minutes ($t \geq 0$) there are x grams of salt in tank A and y grams of salt in tank B .

This system is represented by the coupled differential equations

$$\frac{dx}{dt} = 36 - 0.02x + 0.005y \quad (1)$$

$$\frac{dy}{dt} = 0.02x - 0.02y \quad (2)$$

15 (a) Find the value of r .

[2 marks]



15 (b) Show that $\mu = 3$

[3 marks]

15 (c) Solve the coupled differential equations to find both x and y in terms of t .

[9 marks]

Turn over ►



[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



[illegible]

*Do not write
outside the
box*

[illegible]

*Do not write
outside the
box*

[illegible]

