

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

A-level FURTHER MATHEMATICS

Paper 3 Mechanics

Thursday 11 June 2020

Afternoon

Time allowed: 2 hours

Materials

- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)
- You must ensure you have the other optional Question Paper/Answer Book for which you are entered (**either** Discrete **or** Statistics). You will have 2 hours to complete **both** papers.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 50.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.


For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	



Answer **all** questions in the spaces provided.

- 1** A uniform rigid rod, AB , has mass 2 kg and length 4 metres.

Two particles of masses 5 kg and 3 kg are fixed to A and B respectively to create a composite body, as shown in the diagram.



Find the distance of the centre of mass of the composite body from B .

Circle your answer.

[1 mark]

1.5 metres

1.6 metres

2.4 metres

2.5 metres

- 2** The tension, T newtons, in a spring is given by $T = 20e$, where e metres is the extension of the spring.

Calculate the work done when the extension is increased from 0.2 metres to 0.4 metres.

Circle your answer.

[1 mark]

0.4 J

0.9 J

1.2 J

1.6 J



- 3** The speed, v , of a particle moving in a horizontal circle is given by the formula $v = r\omega$ where:

v = speed

r = radius

ω = angular speed.

Show that the dimensions of angular speed are T^{-1}

[2 marks]

Turn over for the next question

Turn over ►



4 A car has mass 1000 kg and travels on a straight horizontal road.

The maximum speed of the car on this road is 48 m s^{-1}

In a simple model, it is assumed that the car experiences a resistance force that is proportional to its speed.

When the car travels at 20 m s^{-1} , the magnitude of the resistance force is 600 newtons.

4 (a) Show that the maximum power of the car is 69 120 W

[2 marks]

4 (b) Find the maximum acceleration of the car when it is travelling at 25 m s^{-1}

[3 marks]



4 (c) Find the maximum acceleration of the car when it is travelling at 3 m s^{-1}

[1 mark]

4 (d) Comment on the validity of the model in the context of your answers to parts **(b)** and **(c)**.

[2 marks]

Turn over for the next question

Turn over ►




5

A ball, of mass 0.3 kg , is moving on a smooth horizontal surface.

The ball collides with a smooth fixed vertical wall and rebounds.

Before the ball hits the wall, the ball is moving at 4 m s^{-1} at an angle of 30° to the wall as shown in the diagram.



The magnitude of the force, F newtons, exerted on the ball by the wall at time t seconds is modelled by

$$F = kt^2(0.1 - t)^2 \quad \text{for} \quad 0 \leq t \leq 0.1$$

where k is a constant.

The ball is in contact with the wall for 0.1 seconds.



[4 marks]

[illegible]

[5 marks]

[illegible]

Find the speed of the ball after the collision with the wall.

[illegible]

- 6** A particle moves with constant speed on a circular path of radius 2 metres.
- The centre of the circle has position vector $2\mathbf{j}$ metres.
- At time $t = 0$, the particle is at the origin and is moving in the positive $\mathbf{i}$ direction.
- The particle returns to the origin every 4 seconds.
- The unit vectors $\mathbf{i}$ and $\mathbf{j}$ are perpendicular.

- 6 (a)** Calculate the angular speed of the particle.

[2 marks]

- 6 (b)** Write down an expression for the position vector of the particle at time t seconds.

[2 marks]



6 (c) Find an expression for the acceleration of the particle at time t seconds.

[3 marks]

6 (d) State the magnitude of the acceleration of the particle.

[1 mark]

6 (e) State the time when the acceleration is first directed towards the origin.

[1 mark]

Turn over ►



The coefficient of friction between the box and the surface is 0.4

[6 marks]

[illegible]


- 7 (b)** Describe how the model could be refined to obtain a more realistic value of x and use an energy argument to explain whether this would increase or decrease the value of x .

[2 marks]

Turn over ►



The angle between the ladder and the horizontal surface is α , as shown in the diagram.


$$\cos \alpha \sin^2 \alpha = \frac{3}{10}$$

[8 marks]

[illegible]

[illegible]

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team. Copyright © 2020 AQA and its licensors. All rights reserved.

