

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

AS FURTHER MATHEMATICS

Paper 2 Statistics

Thursday 14 May 2020

Afternoon

Time allowed: 1 hour 30 minutes

Materials

- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)
- You must ensure you have the other optional Question Paper/Answer Book for which you are entered (**either** Discrete **or** Mechanics). You will have 1 hour 30 minutes to complete **both** papers.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 40.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	



Answer **all** questions in the spaces provided.

- 1** The discrete random variable X has the following probability distribution function.

$$P(X = x) = \begin{cases} 0.2 & x = 1 \\ 0.3 & x = 2 \\ 0.1 & x = 3, 4 \\ 0.25 & x = 5 \\ 0.05 & x = 6 \\ 0 & \text{otherwise} \end{cases}$$

Find the mode of X .

Circle your answer.

[1 mark]

0.1

0.25

2

3



2

A χ^2 test is carried out in a school to test for association between the class a student belongs to and the number of times they are late to school in a week.

The contingency table below gives the expected values for the test.

		Number of times late				
		0	1	2	3	4
Class	A	8.12	14	15.12	14	4.76
	B	8.99	15.5	16.74	15.5	5.27
	C	11.89	20.5	22.14	20.5	6.97

Find a possible value for the degrees of freedom for the test.

Circle your answer.

[1 mark]

6

8

12

15

Turn over for the next question

Turn over ►



3 The random variable X represents the value on the upper face of an eight-sided dice after it has been rolled. The faces are numbered 1 to 8

The random variable X is modelled by a discrete uniform distribution with $n = 8$

3 (a) Find $E(X)$

[1 mark]

3 (b) Find $\text{Var}(X)$

[1 mark]

3 (c) Find $P(X \geq 6)$

[1 mark]



3 (d) The dice was rolled 800 times and the results below were obtained.

x	1	2	3	4	5	6	7	8
Frequency	103	63	84	110	74	41	85	240

State, with a reason, how you would refine the model for the random variable X .

[2 marks]

Turn over for the next question

Turn over ►



[3 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



- 5** The discrete random variable X has the following probability distribution.

x	2	4	6	9
$P(X = x)$	0.2	0.6	0.1	0.1

- 5 (a)** Find $P(X \leq 6)$

[1 mark]

- 5 (b)** Let $Y = 3X + 2$

Show that $\text{Var}(Y) = 32.49$

[5 marks]



5 (c) The continuous random variable T is independent of Y .

Given that $\text{Var}(T) = 5$, find $\text{Var}(T + Y)$

[1 mark]

Turn over for the next question

Turn over ►



6 The continuous random variable X has probability density function

$$f(x) = \begin{cases} \frac{4}{45}(x^3 - 10x^2 + 29x - 20) & 1 \leq x \leq 4 \\ 0 & \text{otherwise} \end{cases}$$

6 (a) Find $P(X < 2)$

[2 marks]

6 (b) Verify that the median of X is 2.3, correct to two significant figures.

[4 marks]



6 (c) Find the mean of X .

[2 marks]

Turn over for the next question

Turn over ►



7 A restaurant has asked Sylvia to conduct a χ^2 test for association between meal ordered and age of customer.

7 (a) State the hypotheses that Sylvia should use for her test.

[1 mark]

7 (b) Sylvia correctly calculates her value of the test statistic to be 44.1
She uses a 5% level of significance and the degrees of freedom for the test is 30
Sylvia accepts the null hypothesis.

Explain whether or not Sylvia was correct to accept the null hypothesis.

[4 marks]



7 (c) State in context the correct conclusion to Sylvia's test.

[1 mark]

Turn over for the next question

Turn over ►



On a randomly chosen day, he records a total of 16 births from the two hospitals.

[6 marks]

[illegible]

[3 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



[illegible]

Question number	
	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team. Copyright © 2020 AQA and its licensors. All rights reserved.

