Unit M2 GCE Mathematics, GCE AS and GCE Further Mathematics, GCE AS and GCE Further Mathematics (Additional) A2 optional unit

M2.1 Unit description

Kinematics of a particle moving in a straight line or plane; centres of mass; work and energy; collisions; statics of rigid bodies.

M2.2 Assessment information

Prerequisites	A knowledge of the specification for M1 and its prerequisites and associated formulae, together with a knowledge of algebra, trigonometry, differentiation and integration, as specified in C1, C2 and C3, is assumed and may be tested.
Examination	The examination will consist of one $1\frac{1}{2}$ hour paper. It will contain about seven questions with varying mark allocations per question which will be stated on the paper. All questions may be attempted.
Calculators	Students are expected to have available a calculator with at least the following keys: +, -, ×, ÷, π , x^2 , \sqrt{x} , $\frac{1}{x}$, x^y , $\ln x$, e^x , sine, cosine and tangent and their inverses in degrees and decimals of a degree, and in radians; memory. Calculators with a facility for symbolic algebra, differentiation and/or integration are not permitted.
Formulae	Students are expected to know any other formulae which might be required by the specification and which are not included in the booklet, <i>Mathematical Formulae including Statistical Formulae and</i> <i>Tables</i> , which will be provided for use with the paper. Questions will be set in SI units and other units in common usage. Students will be expected to know and be able to recall and use the following formulae: Kinetic energy = $\frac{1}{2}mv^2$ Potential energy = mgh

Unit M2 Mechanics M2 (A2)

1 Kinematics of a particle moving in a straight line or plane

What students need to learn:

Motion in a vertical plane with constant acceleration, eg under gravity.

Simple cases of motion of a projectile.

Velocity and acceleration when the displacement is a function of time.

The setting up and solution of equations of the form $\frac{dx}{dt} = f(t)$ or $\frac{dv}{dt} = g(t)$ will be consistent with the level of calculus in C2.

Differentiation and integration of a vector with respect to time.

For example, given that, $\mathbf{r} = t^2 \mathbf{i} + t^{3/2} \mathbf{j}$, find $\mathbf{\dot{r}}$ and $\mathbf{\ddot{r}}$ at a given time.

2 Centres of mass

What students need to learn:

Centre of mass of a discrete mass distribution in one and two dimensions.

Centre of mass of uniform plane figures, and simple cases of composite plane figures.

The use of an axis of symmetry will be acceptable where appropriate. Use of integration is not required. Figures may include the shapes referred to in the formulae book. Results given in the formulae book may be quoted without proof. Simple cases of equilibrium of a plane lamina.

The lamina may

- (i) be suspended from a fixed point;
- (ii) free to rotate about a fixed horizontal axis;
- (iii) be put on an inclined plane.

3 Work and energy

What students need to learn:

Kinetic and potential energy, work and power. The work-energy principle. The principle of conservation of mechanical energy.

Problems involving motion under a constant resistance and/or up and down an inclined plane may be set.

4 Collisions

What students need to learn:

Momentum as a vector. The impulse-momentum principle in vector form. Conservation of linear momentum.

Direct impact of elastic particles. Newton's law of restitution. Loss of mechanical energy due to impact.

Successive impacts of up to three particles or two particles and a smooth plane surface.

Students will be expected to know and use the inequalities $0 \le e \le 1$ (where *e* is the coefficient of restitution).

Collision with a plane surface will not involve oblique impact.

Unit M2 Mechanics M2 (A2)

5 Statics of rigid bodies

What students need to learn:

Moment of a force.

Equilibrium of rigid bodies.

Problems involving parallel and non-parallel coplanar forces. Problems may include rods or ladders resting against smooth or rough vertical walls and on smooth or rough ground.